

## Quantitative chemistry: teacher guidance

This resource forms part of the **Review my learning** series from the *Royal Society of Chemistry*. Additional support for addressing misconceptions identified using these worksheets can be found at [rsc.li/3mm0leW](https://rsc.li/3mm0leW).

These worksheets assess content from the 11–14 and 14–16 specifications. They can be used to identify learners' knowledge gaps and misconceptions following the completion of that part of the curriculum.

The Quantitative chemistry worksheets cover the following topics:

- atoms and molecules
- elements and compounds
- reactants and products in a chemical equation
- simple chemical formula
- law of conservation of mass
- writing simple word equations
- writing simple balanced symbol equations
- calculating the mass of a reactant or product in a chemical reaction given all other reacting masses.

If learners successfully answer questions on these topics, they can attempt the extension questions. These cover:

- using the Periodic table to find the relative atomic masses of named elements
- calculating relative formula mass.

Level 1 (★) is a scaffolded worksheet in which learners select words from a word list to complete sentences. Level 2 (★★) is partially scaffolded worksheet in which learners complete sentences. Level 3 (★★★) is an unscaffolded worksheet in which most of the tasks involve answering questions with a minimum of prompts.

The worksheets can be used in a variety of ways:

- as an assessment of learners' knowledge at the beginning or end of a period of teaching – the level of the worksheet used can be matched to the ability of the learners
- as an assessment of knowledge during a period of teaching and after learners have completed the relevant section of the specification
- as a revision tool prior to the relevant examination
- as a refresher exercise for teachers or non-subject specialists.

There is also scope to increase the level of the worksheets used as learners progress through the curriculum.


The 'What do I understand?' page is common to all levels of worksheet and can be used both to identify areas needing whole class attention and as an indicator for learners to help guide their revision.

The Teacher guidance provides model answers for each level and guidance on learners' misconceptions. Learners can use the model answers to self- or peer assess.

## Answers

### Quantitative chemistry: knowledge check

#### 1.1 *scaffolded/partially scaffolded/un scaffolded*



**Guidance:** There is a choice of labels here. Learners can label either of the three substances as molecule and either oxygen or hydrogen as element. More able learners will recognise there are alternatives. A common misunderstanding is thinking that all molecules are compounds and that all elements consist of uncombined atoms. The use of molecular model kits may help to reinforce ideas.

**1.2** scaffolded/partially scaffolded

The diagram in question 1.1 shows an equation summarising a **reaction**. The **products** can be found on the right-hand side of the arrow. The **reactants** can be found on the left-hand side of the arrow. The reactants are **hydrogen** and **oxygen**.

*unscaffolded*

- (a) left-hand side
- (b) right-hand side

**Guidance:** Learners simply need to remember that reactants are on the left and that products are on the right. Everyday use of these words may help learners deduce their application here.

**1.3** scaffolded/partially scaffolded

The formula of the hydrogen molecule is  $\text{H}_2$ . The formula of the oxygen molecule is  $\text{O}_2$ . The formula of the water molecule is  $\text{H}_2\text{O}$ . Both the reactants are **elements** that contain one type of atom only. The product is a **compound**, which is a substance made up of two (or more) different atoms bonded together.

*unscaffolded*

- (a) hydrogen and oxygen
- (b) water
- (c) one
- (d) two or more

**Guidance:** The use of subscripts in formulas may need reinforcing as it is becoming everyday practice not to use them, such as in  $\text{O}_2$ . Learners need to realise that a compound may contain, and usually does, more than two types of atom.

#### 1.4 *scaffolded/partially scaffolded/unscaffolded*

During a chemical reaction, **atoms** are neither created nor destroyed. Instead, the atoms are just **rearranged** to form a new substance. This means that the total mass of the **products** will be the same as the total mass of the **reactants**. In this example, there are four atoms of **hydrogen** and two atoms of **oxygen** on both sides of the arrow. The equation is balanced and shows that the mass is conserved. The total **mass** stays the same during a chemical reaction. This is the law of **conservation** of mass.

**Guidance:** Molecular model kits can be used to reinforce these ideas. Learners can use models to make the reactants, then rearrange them to make the product, as in the equation.

The question assumes 100% yield, which never happens in reality. Some learners may be aware of this. However, it can be pointed out to learners that the total mass always stays the same.

There may be a conflict with some religions about the creation of matter. This may need to be dealt with sensitively.

## Quantitative chemistry: test myself

### 2.1 *scaffolded/partially scaffolded/unscaffolded*

There are **two** atoms of **hydrogen** and **one** atom of **oxygen** in one molecule of water.

**Guidance:** Learners need to understand the use of subscripts in a chemical formula. Subscript 2 only applies to the atom immediately before the 2. There can be confusion when large numbers are used at the beginning of a formula in an equation, such as  $2\text{NH}_3$ . Here, 2 doubles up the whole formula.

### 2.2 *scaffolded/partially scaffolded/unscaffolded*

**hydrogen + oxygen → water**

**Guidance:** This is a relatively simple word equation and there are several clues in previous questions. Learners may find that some sources still use a '=' instead of '→'. The use of an arrow may need reinforcing.

### 2.3 *scaffolded/partially scaffolded/unscaffolded*

**H<sub>2</sub>**

**Guidance:** If learners do not read the question properly, they may miss the word 'molecule' and write H. Learners need to clearly show the 2 as a subscript. Many will write it as half-way between subscript and a large number.

### 2.4 *scaffolded/partially scaffolded*


**O<sub>2</sub>**

**Guidance:** See question 2.3.

*unscaffolded*

**2H<sub>2</sub> + O<sub>2</sub> → 2H<sub>2</sub>O**

**Guidance:** The use of large numbers and subscripts causes problems for many learners. Using diagrammatic representation as in question 1.1, or molecular models, can help learners to visualise the equation. Some learners find writing the numbers of each type of atom underneath the formulas helpful.

**2.5** scaffolded/partially scaffolded

**Guidance:** See question 2.4, unscaffolded.

*unscaffolded*

During a chemical reaction, atoms are only rearranged; they cannot be lost and new ones cannot be made.

**Guidance:** Many learners will find it difficult to put these ideas into words, despite understanding the concept. Prompts may be required. Some learners may be aware that new atoms are made in the stars. These are nuclear reactions in which the nuclei of two smaller atoms fuse to create a new atom. Chemical reactions only involve the rearrangement of electrons in atoms.


There may be a religious conflict with the idea of creating matter, which will need to be handled sensitively.

**2.6** scaffolded/partially scaffolded


During a chemical reaction, **atoms** are only **rearranged**; they cannot be **destroyed**, and new ones are not made.

**Guidance:** There may be a religious conflict with the idea of creating matter, which will need to be handled sensitively.

*unscaffolded*



**Guidance:** See question 2.5, unscaffolded.

**2.7** scaffolded/partially scaffolded/unscaffolded

**Guidance:** These are reacting amounts in this question. Learners may find out how to calculate these in their GCSE or equivalent course. Some learners may realise that arbitrary amounts of reactants do not necessarily react exactly. For example, 4 g hydrogen will not react with 8 g oxygen to give 12 g water because there is insufficient oxygen for the hydrogen to react with.

2.8 *scaffolded/partially scaffolded/unscaffolded*

$$20 \text{ kg} + 160 \text{ kg} = 180 \text{ kg}$$

**Guidance:** See question 2.7.

2.9 *scaffolded/partially scaffolded*

$$54 \text{ g} - 48 \text{ g} = 6 \text{ g}$$

**Guidance:** See question 2.7.

*unscaffolded*

**8 protons**

**Guidance:** Learners need to know that the atomic number equals the number of protons or electrons in one atom of an element. They can find atomic numbers in their Periodic table. Some will confuse the information provided by an atomic number with that provided by its relative atomic mass.

2.10 *scaffolded/partially scaffolded*

$$28 \text{ g} + 22 \text{ g} = 50 \text{ g}$$

**Guidance:** See question 2.7.

*unscaffolded*

**8 neutrons**

**Guidance:** Learners need to know that the number of neutrons in an atom = mass number – atomic number. For oxygen, this is  $16 - 8 = 8$ .

## Quantitative chemistry: feeling confident?

### 3.1 scaffolded/partially scaffolded/un scaffolded

Element	Symbol	Relative atomic mass
hydrogen	H	1
oxygen	O	16
chlorine	Cl	35.5
carbon	C	12
nitrogen	N	14
iron	Fe	56
sodium	Na	23
magnesium	Mg	24
copper	Cu	63.5
sulfur	S	32

**Guidance:** This is a fairly straightforward exercise, provided learners know which numbers are atomic numbers and which are relative atomic mass values. Most Periodic tables have a key that learners can use to identify the numbers.



## 3.2 scaffolded/partially scaffolded/un scaffolded

Compound name	Chemical formula	Calculation	Relative formula mass
water	H <sub>2</sub> O	(2 × H) + (1 × O) (2 × 1) + (1 × 16)	18
sodium chloride (salt)	NaCl	(1 × Na) + (1 × Cl) 23 + 35.5	58.5
carbon dioxide	CO <sub>2</sub>	(1 × C) + (2 × O) 12 + (2 × 16)	44
methane	CH <sub>4</sub>	(1 × C) + (4 × H) 12 + (4 × 1)	16
ammonia	NH <sub>3</sub>	(1 × N) + (3 × H) 14 + (3 × 1)	17
copper sulfate	CuSO <sub>4</sub>	(1 × Cu) + (1 × S) + (4 × O) 63.5 + 32 + (4 × 16)	159.5
glucose	C <sub>6</sub> H <sub>12</sub> O <sub>6</sub>	(6 × C) + (12 × H) + (6 × O) (6 × 12) + (12 × 1) + (6 × 16)	180
sodium carbonate	Na <sub>2</sub> CO <sub>3</sub>	(2 × Na) + (1 × C) + (3 × O) (2 × 23) + 12 + (3 × 16)	106
magnesium hydroxide	Mg(OH) <sub>2</sub>	(1 × Mg) + (2 × O) + (2 × H) = (1 × 24) + (2 × 16) + (2 × 1)	58
ammonium sulfate	(NH <sub>4</sub> ) <sub>2</sub> SO <sub>4</sub>	(2 × N) + (8 × H) + (1 × S) + (4 × O) (2 × 14) + (8 × 1) + 32 + (4 × 16)	132

**Guidance:** Learners need to understand the use of subscript numbers in chemical formulas to deduce the correct calculation. Simple computation skills are required, involving the use of brackets. Learners who use calculators may have problems adding numbers in brackets, with either standard or scientific calculators.

In the example given for magnesium hydroxide, ensure that learners realise that the 'O' represents the symbol for oxygen and is not the number zero.

## Quantitative chemistry: what do I understand?

Mini-topic	Assessed via:
I understand that all substances are made up of atoms and molecules.	1.1 (partially)
I can identify elements and compounds.	1.1, 1.3
I can identify reactants and products in a chemical equation.	1.1, 1.2, 1.3
I can write simple chemical formulas.	1.3, 2.1, 2.3, 2.4
I can understand and use the law of conservation of mass.	1.4 2.6
I can write simple word equations.	2.2
I can write simple balanced symbol equations.	2.5
I can calculate the mass of a reactant or product in a chemical reaction given all other reacting masses.	2.7, 2.8, 2.9, 2.10
Feeling confident? topics	Assessed via:
I can use the Periodic table to find the relative atomic masses of named elements.	3.1
I can calculate relative formula mass.	3.2